;

THE COMMISSIONER OF PATENTS AND TRADEMARKS, Washington, D.C. 20231

Enclosed for filing is the patent application of Inventor: NAVEED MAJID, TON MOBERS and SATYEN MUKHERJEE

MULTIPLE SEMICONDUCTOR CHIP (MULTI-CHIP) MODULE FOR USE IN HIGH-POWER APPLICATIONS

## ቼENCLOSED ARE:

dX] Appointment of Associates;

Information Disclosure Statement, Form PTO-1449 and copies of

documents listed therein;

Preliminary Amendment;Specification (10 Pages of Specification, Claims, & Abstract);

[X] Declaration and Power of Attorney:

(4 Pages of a [X]fully executed [ ]unsigned Declaration);

[X] Drawing (1 sheet of [X]informal [ ]formal sheets);

[ ] Certified copy of application Serial

[X] Authorization Pursuant to 37 CFR §1.136(a)(3)

) Other:

[X] Assignment to PHILIPS ELECTRONICS NORTH AMERICA CORPORATION.

### FEE COMPUTATION

CLAIMS AS FILED						
FOR	NUMBER FILED	NUMBER EXTRA	RATE	BASIC FEE - \$760.00		
Total Claims	8 - 20 =		X \$18 =	0.00		
Independent Claims	2 - 3 =		X \$78 =	0.00		
Multiple Depen	0.00					
TOTAL FILING FEE =				\$760.00		

Please charge Deposit Account No. 14-1270 in the amount of the total filing fee indicated above, plus any deficiencies. The Commissioner is also hereby authorized to charge any other fees which may be required, except the issue fee, or credit any overpayment to Account No. 14-1270.

[ ]Amend the specification by inserting before the first line as a centered heading --Cross Reference to Related Applications--; and insert below that as a new paragraph --This is a continuation-in-part of application Serial No. , filed , which is herein incorporated by reference--.

### **CERTIFICATE OF EXPRESS MAILING**

Express Mail Mailing Label No. EL 335 549 207 US

Date of Deposit November 15, 1999

I hereby certify that this paper and/or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R.

1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Patti DeMichele

Typed Name

Signature

Attorney (914) 333,9630

(914) 333-9630 U.S. Philips Corporation 580 White Plains Road Tarrytown, New York 10591

10

15

20

# MULTIPLE SEMICONDUCTOR CHIP (MULTI-CHIP) MODULE FOR USE IN HIGH-POWER APPLICATIONS

### BACKGROUND OF THE INVENTION

The invention is in the field of semiconductor devices, and relates more specifically to multiple semiconductor chip (hereinafter multi-chip) modules for use high-power applications.

Multi-chip module technology has recently been applied to integrated circuits used in high power applications, such as power supplies and electronic ballast circuits. Such multi-chip modules typically include at least a power semiconductor chip and a control semiconductor chip mounted on an electrically conductive (typically metal) heat sink. In the prior art, one or more of the chips employed in the module must be electrically insulated from the metal heat sink in order to maintain electrical isolation, thus requiring a relatively complicated structure which is costly to manufacture. Additionally, such a configuration is not ideal in terms of electrical performance, because electrically isolating one or more chips from the metal heat sink and having the heat sink float at other than ground potential may result in electromagnetic interference (EMI).

A typical prior-art device configuration is shown in Japanese patent abstract JP 6-169057A. In the elementary multi-chip module shown in this reference, one chip is shown as soldered directly to a heat sink, while a second chip is provided on an electrode plate, which is in turn provided on an insulating ceramic plate provided

20

25

on the heat sink.

While the foregoing structure permits the fabrication of a multi-chip module incorporating different chip types and functions, it is relatively complicated and therefore uneconomical to manufacture, and in certain applications structures of this type will generate electromagnetic (EMI) radiation.

Accordingly, it would be desirable to have a multi-chip module for use in high-power applications which is simple in construction and therefore economical to fabricate, and in which performance parameters such as reduced EMI are enhanced.

### SUMMARY OF THE INVENTION

It is therefore an object of the present invention to provide a multi-chip module for use in high-power applications which is simple in construction, economical to fabricate, and capable of offering enhanced performance.

In accordance with the invention, these objects are achieved in a multi-chip module of the type described above in which a plurality of semiconductor chips are all directly mounted on an electrically conductive heat sink without the use of a separate electrical insulation layer.

In a preferred embodiment of the invention, the multi-chip module includes at least a power semiconductor chip having a silicon-on-insulator (SOI) device and a control semiconductor chip having a semiconductor device with a substrate connected to ground potential, with both the power semiconductor chip and the control

20

5

10

semiconductor chip being directly mounted on the electrically conductive heat sink without the use of a separate electrical insulation layer.

In further preferred embodiments of the invention, the control semiconductor chip includes BIMOS, bipolar, or CMOS devices and has a substrate connected to ground potential.

Multi-chip modules in accordance with the present invention offer a significant improvement in that a simple, economical configuration having improved performance characteristics is achieved.

These and other aspects of the invention will be apparent from and elucidated with reference to the embodiments described hereinafter.

### BRIEF DESCRIPTION OF THE DRAWING

The invention may be more completely understood with reference to the following description, to be read in conjunction with the accompanying drawing, in which the single Figure shows a simplified cross-sectional view of a multi-chip module in accordance with a preferred embodiment of the invention.

It should be understood that the single Figure of the drawing is not drawn to scale.

### DESCRIPTION OF THE PREFERRED EMBODIMENTS

In the simplified cross-sectional view of the single Figure, a multiple semiconductor chip (multi-chip) module 10 for use in high-

20

25

5

10

power circuit applications is shown. The multi-chip module 10 includes an electrically conductive heat sink 20, typically a metal heat sink of copper or aluminum, on which are directly mounted a plurality of semiconductor chips, such as chips 30 and 40 shown in simplified form within bold rectangles in the Figure. It should be noted that the semiconductor chips 30 and 40 are directly mounted on the conductive heat sink 20 without the use of a separate electrical insulation layer as is typically required in the prior art.

In the example shown, semiconductor chip 30 is a power semiconductor chip, here shown as a Silicon-On-Insulator (SOI) device having a semiconductor substrate 38, a buried insulating layer 39, and an SOI layer 32 having at least one semiconductor device symbolically shown by region 34 provided therein. Electrical connections to the semiconductor device 34 are symbolically shown by the single electrode 36, although it will be apparent that in an actual device more than one connection will typically be provided. By placing all of the high-voltage and high-power components of the multi-chip module on SOI power semiconductor chip 30, it becomes possible to directly mount the semiconductor chip on the conductive heat sink 20 without the use of a separate electrical insulation layer, since the portions of the chip connected to high voltage are insulated from the substrate 38 by oxide insulation layer 36 within the chip itself. semiconductor chip 30 can be directly mounted on the conductive heat sink 20 by known conventional methods, such as soldering or

25

5

10

gluing with a conductive glue. If power semiconductor chips other than SOI chips are used, they must be capable of operating with their substrates connected directly to the conductive heat sink.

The multi-chip module 10 also includes a control semiconductor chip 40 shown in simplified form in the Figure, also directly mounted on the conductive heat sink 20 without the use of a separate electrical insulation layer. The control semiconductor chip 40 is symbolically shown by a substrate 46 in which is formed at least one semiconductor device 42, with electrical connections to the device being symbolically shown by the single connection electrode 44.

In order to further reduce the manufacturing cost of multichip module 10, the control semiconductor chip 40 can employ a low-cost technology such as BIMOS, bipolar, or CMOS to implement the control circuit devices symbolically shown by reference numeral 42. It will be recognized that various technologies may be used to fabricate the control circuitry, the only limitation being that the back of the chip (substrate 46) must be capable of being directly mounted on the conductive heat sink 20, which will typically be at ground potential. A further advantage of having the conductive heat sink 20 and the substrate of the control semiconductor chip 40 at ground potential is that electromagnetic radiation (EMI) will be reduced, since the grounded heat sink cannot serve as an antenna to radiate interference signals. As in the case of power semiconductor chip 30, control semiconductor chip 40 may be mounted to the conductive heat sink 20 by soldering or other conventional

20

25

electrically conductive fastening technique.

It will be understood that while the simplified representative structure shown in the single Figure depicts a preferred embodiment of the invention, numerous variations in device geometry, configuration and number of chips used are contemplated within the scope of the invention. Nevertheless, it is noted that several advantages accrue by using a configuration in accordance with the preferred embodiment. By directly mounting all of the semiconductor chips on the conductive heat sink without the use of a separate electrical insulation layer, the fabrication process is simplified and made more economical, EMI is reduced and efficient heat transfer is ensured. Additionally, by using a low-cost technology such as BIMOS, CMOS or bipolar for the control semiconductor chip(s), further advantages in economy and performance are obtained. Finally, by using an SOI device as the power semiconductor chip, direct mounting of this chip is facilitated while permitting great flexibility in high-voltage device design even though the substrate is typically grounded, since the active portion of the device is internally insulated from the substrate.

In the foregoing manner, the present invention provides a multi-chip module for use in high-power applications which is simple in structure, economical to fabricate and which offers performance advantages.

While the invention has been particularly shown and described with reference to several preferred embodiments thereof, it will be

understood by those skilled in the art that various changes in form and detail may be made without departing from the spirit or scope of the invention. In this application it should be understood that the word "a" or "an" preceding an element does not exclude the presence of a plurality of such elements, and that the word "comprising" does not exclude the presence of other elements or steps than those described or claimed.


### What is claimed is:

- 1 1. A multiple semiconductor chip (multi-chip) module for use in
- 2 high-power applications, comprising at least a power semiconductor
- 3 chip and a control semiconductor chip mounted on an electrically
- 4 conductive heat sink, wherein said power semiconductor chip
- 5 comprises a Silicon-On-Insulator (SOI) device and said control
- 6 semiconductor chip comprises a semiconductor device having a
- 7 substrate connected to ground potential, and said power
- 8 semiconductor chip and said control semiconductor chip are directly
- 9 mounted on said electrically conductive heat sink without the use
- 10 of a separate electrical insulation layer.
- 1 2. A multi-chip module as in claim 1, wherein said control
- 2 semiconductor chip semiconductor device comprises a BIMOS device.
- 1 3. A multi-chip module as in claim 1, wherein said control
- 2 semiconductor chip semiconductor device comprises a CMOS device.
- 1 4. A multi-chip module as in claim 1, wherein said control
- 2 semiconductor chip semiconductor device comprises a bipolar device.
- 1 5. A multi-chip module as in claim 1, wherein said conductive
- 2 heat sink is connected to ground potential.

- 1 6. A multi-chip module as in claim 1, wherein said conductive
- 2 heat sink comprises a metal.
- 1 7. A multi-chip module a in claim 6, wherein said metal comprises
- 2 copper.
- 1 8. A multiple semiconductor chip (multi-chip) module for use in
- 2 high-power applications, comprising a plurality of semiconductor
- 3 chips all directly mounted on an electrically conductive heat sink
- 4 without the use of a separate electrical insulation layer.

### ABSTRACT OF THE DISCLOSURE

A multiple semiconductor chip (multi-chip) module for use in high-power applications includes at least a power semiconductor chip and a control semiconductor chip mounted on an electrically conductive heat sink. The power semiconductor chip may be a Silicon-On-Insulator (SOI) device and the control semiconductor chip may be a semiconductor device having a substrate connected to ground potential. The power semiconductor chip and the control semiconductor chip are directly mounted on the electrically conductive heat sink without the use of a separate electrical insulation layer in order to obtain a multi-chip module which is simple and economical to manufacture, and which offers superior performance characteristics.



10-7

The first course of the state o

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

NAVEED MAJID ET AL

PHA 23,843

Serial No.

Filed: CONCURRENTLY

MULTIPLE SEMICONDUCTOR CHIP (MULTI-CHIP) MODULE FOR USE IN HIGH-POWER APPLICATIONS

Honorable Commissioner of Patents and Trademarks Washington, D.C. 20231

### APPOINTMENT OF ASSOCIATES

Sir:

The undersigned Attorney of Record hereby revokes all prior appointments (if any) of Associate Attorney(s) or Agent(s) in the above-captioned case and appoints:

Steven R. Biren

(Registration No. 26,531)

c/o U.S. PHILIPS CORPORATION, Intellectual Property Department, 580 White Plains Road, Tarrytown, New York 10591, his Associate Attorney(s)/Agent(s) with all the usual powers to prosecute the above-identified application and any division or continuation thereof, to make alterations and amendments therein, and to transact all business in the Patent and Trademark Office connected therewith.

ALL CORRESPONDENCE CONCERNING THIS APPLICATION AND THE LETTERS PATENT WHEN GRANTED SHOULD BE ADDRESSED TO THE UNDERSIGNED ATTORNEY OF RECORD.

Jack E. Haken, Reg. 26,902

Attorney of Record

Dated at Tarrytown, New York this  $15^{\text{TH}}$  day of November 1999.

# **DECLARATION and POWER OF ATTORNEY**

700845				Attorney's Docket No. PHA 23,843
I believe I am the origin below) of the subject matte CHIP) MODULE FOR US	e address and citizen al, first and sole inver r which is claimed an E IN HIGH-POWE	ship are as stated below next to mentor (if only one name is listed be not for which a patent is sought on	low) or an original, f	First and joint inventor (if plural names are listed  MULTIPLE SEMICONDUCTOR CHIP (MULTI-
The specification of which XX is attached hereto.	(check one)			
was filed on		as Application Serial No.	a	nd was amended on pplicable).
I hereby state that I have amendment(s) referred to a I acknowledge the duty	e reviewed and unde bove. to disclose informati	rstand the contents of the above-ion which is material to the patent	lentified specification ability of this applica	n, including the claims, as amended by the
Y to analysis alaims Compions	riority benefits unde fied below any foreig	gn application for patent or invent	or's certificate having	oplication(s) for patent or inventor's certificate listed a filing date before that of the application on which
	T	PRIOR FOREIGN A	PPLICATION(8)	
COUNTRY	APPLICATION NUMBER	DATE OF FILI (DAY, MONTH		PRIORITY CLAIMED UNDER 35 U.S.C. 119
each of the claims of this a	pplication is not disc owledge the duty to he prior application	Josef in the prior United States at	oplication in the maniferined in Title 37, Co onal filing date of this S APPLICATION(S	on (s) listed below and, insofar as the subject matter of oner provided by the first paragraph of Title 35 United ode of Federal Regulations, §1.56(a) which occurred s application:  S)  ENTED, PENDING, ABANDONED)
true; and further that these imprisonment, or both, un application or any patent in POWER OF ATTORNI	estatements were mader Section 1001 of ssued thereon.  EY: As a named inv. Trademark Office co. 27,677	de with the knowledge that willfu Title 18 of the United States Code	I false statements and and that such willfu ing attorney(s) and/o	ents made on information and belief are believed to be if the like so made are punishable by fine or if false statements may jeopardize the validity of the agent(s) to prosecute this application and transact all by
SEND CORRESPON Corporate Patent Cour U.S. Philips Corporati	isel;	s Road; Tarrytown, NY 10591		LEPHONE CALLS TO: lephone No.) Steven R. Biren 530

•				
Dated:	10/29/99	INVENTOR'S SIGNATURE:	ox, ·	
Full Name of Inventor	Last Name MAJID	FIRST NAME NAVEED	Middle Name	
Residence & Citizenship	Citý MOHEGAN LAKE	STATE OR FOREIGN COUNTRY NEW YORK	Country of Citizenship PAKISTAN	
Post Office Address	Street 1366 QUARRY DRIVE	CITY MOHEGAN LAKE	State or Country Zip Code NEW YORK 10547	
			V. 1	
Dated:		Inventor's Signature:		
Full Name of Inventor	Last Name MOBERS	FIRST NAME TON	Middle Name	
Residence & Citizenship	City 5361 MS GRAVE	STATE OR FOREIGN COUNTRY THE NETHERLANDS	Country of Citizenship THE NETHERLANDS	
Post Office Address	Street WEDERIK 12	CITY 5361 MS GRAVE	State or Country THE NETHERLANDS Zip Code	
Dated: Oc	t.29,1999	INVENTOR'S SIGNATURE:	mkhijee	
Full Name of Inventor	Last Name MUKHERJEE	FIRST NAME SATYEN	Middle Name	
Residence & Citizenship	City YORKTOWN HEIGHTS	STATE OR FOREIGN COUNTRY NEW YORK	Country of Citizenship INDIA	
Post Office Address	Street 237 GRANITE SPRINGS ROAD	CITY YORKTOWN HEIGHTS	State or Country NEW YORK Zip Code 10598	

Dated:		INVENTOR'S SIGNATURE:	INVENTOR'S SIGNATURE:			
Full Name of Last Name Inventor		First Name	Middle Name	Middle Name		
Residence & Citizenship	City	STATE OR FOREIGN COUNTRY	Country of Citizenship			
Post Office Address	Street	Стту	State or Country	Zip Code		

# That the man other allow the terms of the te

# **DECLARATION and POWER OF ATTORNEY**

700845				A	attorney's Docket No. PHA 23,843
As a below named inver My residence, post offic I believe I am the origin below) of the subject matte CHIP) MODULE FOR US	e address and citizen al, first and sole inve r which is claimed a	ship are as sta intor (if only on ind for which a	me name is listed below patent is sought on the	name.	and joint inventor (if plural names are listed MULTIPLE SEMICONDUCTOR CHIP (MULTI-
The specification of which	(check one)				
XX is attached hereto was filed on		as Application	Serial No.	and v	vas amended on
				(II ADDI)	icable). cluding the claims, as amended by the
amendment(s) referred to a I acknowledge the duty	hous				in accordance with Title 37, Code of Federal
below and have also identi	oriority benefits unde fied below any foreig	r Title 35, Un gn application	ited States Code, § 119 for patent or inventor's	of any foreign applic s certificate having a fi	cation(s) for patent or inventor's certificate listed iling date before that of the application on which
priority is claimed:		PI	NIOR FOREIGN APP	LICATION(8)	
COUNTRY	APPLICATION NUMBER	Ī	DATE OF FILING (DAY, MONTH, V		PRIORITY CLAIMED UNDER 35 U.S.C. 119
	1,0,0,0				
	ļ				
t Cat t . t	application is not disc nowledge the duty to	closed in the p disclose mater and the nation	rior United States appl rial information as defi	ication in the mariner ned in Title 37, Code il filing date of this ap	s) listed below and, insofar as the subject matter of provided by the first paragraph of Title 35 United of Federal Regulations, §1.56(a) which occurred plication:
APPLICATION SER	IAL NUMBER	FILING D	ATE	STATUS (PATENT	red, pending, abandoned)
true; and further that these imprisonment, or both, ur application or any patent POWER OF ATTORN	e statements were mander Section 1001 of issued thereon.  EV: As a named inv	ide with the ki Title 18 of the ventor, I hereb	nowledge that willful f the United States Code a y appoint the following	alse statements and the nd that such willful fa g attorney(s) and/or ag	s made on information and belief are believed to be e like so made are punishable by fine or lse statements may jeopardize the validity of the gent(s) to prosecute this application and transact all
business in the Patent and Algy Tamoshunas, Reg. I Jack E. Haken, Reg. No.	l Trademark Office o No. 27,677	connected there	ewith. (list name and r	egistration number)	
SEND CORRESPON Corporate Patent Cou U.S. Philips Corporat	nsel:	ıs Road; Tarry	town, NY 10591		PHONE CALLS TO: none No.) Steven R. Biren

Dated:		Inventor's Signature:	INVENTOR'S SIGNATURE:			
Full Name of Inventor	Last Name MAJID	FIRST NAME NAVEED	Middle Name			
Residence & Citizenship	City MOHEGAN LAKE	STATE OR FOREIGN COUNTRY NEW YORK	Country of Citizenship PAKISTAN	p		
Post Office Address	Street 1366 QUARRY DRIVE	CITY MOHEGAN LAKE	State or Country NEW YORK	Zip Code 10547		

Dated:	041199	Inventor's Signature:	Koplin
Full Name of Inventor	Last Name MOBERS	FIRST NAME TON	Middle Name
Residence & Citizenship	City 5361 MS GRAVE	STATE OR FOREIGN COUNTRY THE NETHERLANDS	Country of Citizenship THE NETHERLANDS
Post Office Address	Street WEDERIK 12	CITY 5361 MS GRAVE	State or Country THE Zip Code NETHERLANDS
			AF-01-01
Dated:		Inventor's Signature:	
Full Name of Inventor	Last Name MUKHERJEE	FIRST NAME SATYEN	Middle Name
Residence & Citizenship	City YORKTOWN HEIGHTS	STATE OR FOREIGN COUNTRY NEW YORK	Country of Citizenship INDIA
Post Office Address	Street 237 GRANITE SPRINGS ROAD	CITY YORKTOWN HEIGHTS	State or Country Zip Code NEW YORK 10598

Dated:		Inventor's Signature:		
Full Name of Inventor	Last Name	First Name	Middle Name	
Residence & Citizenship	City	STATE OR FOREIGN COUNTRY	Country of Citizenship	
Post Office Address	Street	Сіту	State or Country	Zip Code